

FY 2003 PMEL Refereed Publications (89 total)

- Baker, E.T., G.J. Massoth, C.E.J. de Ronde, J.E. Lupton, and B.I.A. McInnes (2002): Observations and sampling of an ongoing subsurface eruption of Kavachi volcano, Solomon Islands, May 2000. *Geology*, 30(11), 975–978.
- Ball, W.P., R.R. Dickerson, B.G. Doddridge, J.W. Stehr, T.L. Miller, D.L. Savoie, and T.P. Carsey (2003): Bulk and size-segregated aerosol composition observed during INDOEX 1999: Overview of meteorology and continental impacts. *J. Geophys. Res.*, 108(D10), 8001, doi: 10.1029/2002JD002467.
- Bertram, M.A., J.P. Cowen, R.E. Thomson, and R.A. Feely (2002): Compositional variability in the ascending fluxes from a hydrothermal plume. *J. Geophys. Res.*, 107(C11), 3191, doi: 10.1029/2000JC000223.
- Bond, N.A., and J.M. Adams (2002): Atmospheric forcing of the southeast Bering Sea Shelf during 1995–99 in the context of a 40-year historical record. *Deep-Sea Res. II: Topical Studies in Oceanography*, 49(26), 5869–5887.
- Bond, N.A., and G.A. Vecchi (2003a): The influence of the Madden-Julian Oscillation (MJO) on precipitation in Oregon and Washington. *Weather Forecast.*, 18(4), 600–613.
- Bond, N.A., and B.A. Walter (2002): Research aircraft observations of the mean and turbulent structure of a low-level jet accompanying a strong storm. *J. Appl. Meteorol.*, 41(12), 1210–1224.
- Bond, T.C., D.S. Covert, J.C. Kramlich, T.V. Larson, and R.J. Charlson (2002): Primary particle emissions from residential coal burning: Optical properties and size distributions. *J. Geophys. Res.*, 107(D21), 8347, doi: 10.1029/2001JD000571.
- Butterfield, D.A., Y. Fouquet, M. Halbach, P.E. Halbach, S.E. Humphris, M.D. Lilley, V. Lüders, S. Petersen, W.E. Seyfried, Jr., M. Shimizu, and M.K. Tivey (2003a): Group Report: How can we describe the fluid-mineral processes and the related energy and material fluxes? In *Energy and Mass Transfer in Submarine Hydrothermal Systems*, P.E. Halbach, V. Tunnicliffe, and J. Hei (eds.), Dahlem Workshop Report Volume 89, Free University of Berlin, Berlin, 183–209.
- Butterfield, D.A., W.E. Seyfried, Jr., and M.D. Lilley (2003b): Composition and evolution of hydrothermal fluids. In *Energy and Mass Transfer in Submarine Hydrothermal Systems*, P.E. Halbach, V. Tunnicliffe, and J. Hei (eds.), Dahlem Workshop Report Volume 89, Free University of Berlin, Berlin, 123–161.
- Chelton, D.B., M.G. Schlax, J.M. Lyman, and G.C. Johnson (2003): Equatorially trapped Rossby waves in the presence of meridionally sheared baroclinic flow in the Pacific Ocean. *Prog. Oceanogr.*, 56(2), 323–380.
- Ciannelli, L., R.D. Brodeur, G.L. Swartzman, and S. Salo (2002): Physical and biological factors influencing the spatial distribution of age-0 walleye pollock (*Theragra chalcogramma*) around the Pribilof Islands, Bering Sea. *Deep-Sea Res. II: Topical Studies in Oceanography*, 49(26), 6109–6126.
- Clarke, A.D., S. Howell, P.K. Quinn, T.S. Bates, J.A. Ogren, E. Andrews, A. Jefferson, A. Massling, O. Mayol-Bracero, H. Maring, D. Savoie, and G. Cass (2002): The INDOEX aerosol: A comparison and summary of chemical, microphysical, and optical properties observed from land, ship, and aircraft. *J. Geophys. Res.*, 107(D19), 8033, doi: 10.1029/2001JD000572.
- Conant, W.C., J.H. Seinfeld, J. Wang, G.R. Carmichael, Y. Tang, I. Uno, P.J. Flatau, K.M. Markowicz, and P.K. Quinn (2003): A model for the radiative forcing during ACE-Asia derived from CIRPAS Twin Otter and R/V *Ronald H. Brown* data and comparison with observations. *J. Geophys. Res.*, 108(D23), 8661, doi: 10.1029/2002JD003260.
- Cosca, C.E., R.A. Feely, J. Boutin, J. Etcheto, M.J. McPhaden, F.P. Chavez, and

- P.G. Strutton (2003): Seasonal and interannual CO₂ fluxes for the central and equatorial Pacific Ocean as determined from fCO₂-SST relationships. *J. Geophys. Res.*, 108(C8), 3278, doi: 10.1029/2000JC000677.
- Cowen, J.P., S.J. Giovannoni, F. Kenig, H.P. Johnson, D.A. Butterfield, M.S. Rappe, M. Hutnak, and P. Lam (2003): Fluids from aging ocean crust that support microbial life. *Science*, 299, 120–123.
- Cronin, M.F., and M.J. McPhaden (2002): Barrier layer formation during westerly wind bursts. *J. Geophys. Res.*, 107(C12), 8020, doi: 10.1029/2001JC001171.
- Cronin, M.F., S.-P. Xie, and H. Hashizume (2003): Barometric pressure variations associated with eastern Pacific tropical instability waves. *J. Climate*, 16(18), 3050–3057.
- de Ronde, C.E.J., G.J. Massoth, E.T. Baker, and J.E. Lupton (2003): Submarine hydrothermal venting related to volcanic arcs. In *Giggenbach Memorial Volume*, S.F. Simmons, and I.J. Graham (eds.), Special Publication 10, Society of Economic Geologists, 91–110.
- Dziak, R.P., W.W. Chadwick, Jr., C.G. Fox, and R.W. Embley (2003): Hydrothermal temperature changes at the southern Juan de Fuca Ridge associated with a Mw 6.2 Blanco Transform earthquake. *Geology*, 31(2), 119–122.
- Edmonds, H.N., P.J. Michael, E.T. Baker, D.P. Connelly, J.E. Snow, C.H. Langmuir, H.J.B. Dick, R. Mühe, D.W. German, and D.W. Graham (2003): Discovery of abundant hydrothermal venting on the ultraslow-spreading Gakkel ridge in the Arctic Ocean. *Nature*, 421, 252–256.
- Feely, R.A., C.L. Sabine, K. Lee, F.J. Millero, M.F. Lamb, D. Greeley, J.L. Bullister, R.M. Key, T.-H. Peng, A. Kozyr, T. Ono, and C.S. Wong (2002): In situ calcium carbonate dissolution in the Pacific Ocean. *Global Biogeochem. Cycles*, 16(4), 1144, doi: 10.1029/2002GB001866.
- Foltz, G.R., S.A. Grodsky, J.A. Carton, and M.J. McPhaden (2003): Seasonal mixed layer heat budget of the tropical Atlantic Ocean. *J. Geophys. Res.*, 108(C5), 3146, doi: 10.1029/2002JC001584.
- Früh-Green, G.L., D.S. Kelley, S.M. Bernasconi, J.A. Karson, K.A. Ludwig, D.A. Butterfield, and C. Boschi (2003): 30,000 years of hydrothermal activity at Lost City vent field. *Science*, 301(5630), 495–498.
- Gloor, M., N. Gruber, J.L. Sarmiento, C.L. Sabine, R.A. Feely, and C. Rödenbeck (2003): A first estimate of present and preindustrial air-sea CO₂ flux patterns based on ocean interior carbon measurements and models. *Geophys. Res. Lett.*, 30(1), 1010, doi: 10.1029/2002GL015594.
- Guazzotti, S.A., D.T. Seuss, K.R. Coffee, P.K. Quinn, T.S. Bates, A. Wisthaler, A. Hansel, W.P. Ball, R.R. Dickerson, C. Neusüß, P.J. Crutzen, and K.A. Prather (2003): Characterization of carbonaceous aerosols outflow from India and Arabia: Biomass/biofuel burning and fossil fuel combustion. *J. Geophys. Res.*, 108(D15), 4485, doi: 10.1029/2002JD003277.
- Hein, J.R., E.T. Baker, J.P. Cowen, C.R. German, E. Holzbecher, R.A. Koski, M.J. Mottl, N.V. Pimenov, S.D. Scott, and A.M. Thurnherr (2003): How important are the material and energy fluxes from hydrothermal circulation to the ocean? In *Energy and Mass Transfer in Marine Hydrothermal Systems*, P.E. Halbach, V. Tunnicliffe, and J.R. Hein (eds.), Dahlem Workshop Report 89, Dahlem University Press, Berlin, 337–355.
- Hermann, A.J., P.J. Stabeno, D.B. Haidvogel, and D.L. Musgrave (2002): A regional tidal/subtidal circulation model of the southeastern Bering Sea: Development, sensitivity analyses and hindcasting. *Deep-Sea Res. II: Topical Studies in Oceanography*, 49(26), 5945–5967.
- Huber, J.A., D.A. Butterfield, and J.A. Baross (2003): Bacterial diversity in a subseafloor habitat following a deep-sea volcanic eruption. *FEMS Microbiology Ecology*, 43(3), 393–409.

- Hunt, Jr., G.L., P. Stabeno, G. Walters, E. Sinclair, R.D. Brodeur, J.M. Napp, and N.A. Bond (2002): Climate change and control of the southeastern Bering Sea pelagic ecosystem. *Deep-Sea Res. II: Topical Studies in Oceanography*, 49(26), 5821–5853.
- Hunt, Jr., G.L., and P.J. Stabeno (2002): Climate change and the control of energy flow in the southeastern Bering Sea. *Prog. Oceanogr.*, 55(1–2), 5–22.
- Johnson, G.C., E. Kunze, K.E. McTaggart, and D.W. Moore (2002a): Temporal and spatial structure of the equatorial deep jets in the Pacific Ocean. *J. Phys. Oceanogr.*, 32(12), 3396–3407.
- Johnson, G.C., and D. Zhang (2003): Structure of the Atlantic Ocean equatorial deep jets. *J. Phys. Oceanogr.*, 33, 600–609.
- Kachel, N.B., G.L. Hunt, Jr., S.A. Salo, J.D. Schumacher, P.J. Stabeno, and T.E. Whitledge (2002): Characteristics and variability of the inner front of the southeastern Bering Sea. *Deep-Sea Res. II: Topical Studies in Oceanography*, 49(26), 5889–5909.
- Kessler, W.S. (2002): Is ENSO a cycle or a series of events? *Geophys. Res. Lett.*, 29(23), 2125, doi: 10.1029/2002GL015924.
- Kessler, W.S., G.C. Johnson, and D.W. Moore (2003): Sverdrup and nonlinear dynamics of the Pacific South Equatorial Current. *J. Phys. Oceanogr.*, 33(5), 994–1008.
- Körtzinger, A., P.D. Quay, and R.E. Sonnerup (2003): Relationship between anthropogenic CO₂ and the ¹³C Suess effect in the North Atlantic Ocean. *Global Biogeochem. Cycles*, 17(1), 1005, doi: 10.1029/2001GB001427.
- Koshimura, S., H.O. Mofjeld, F.I. González, and A.L. Moore (2002): Modeling the 1100 bp paleotsunami in Puget Sound, Washington. *Geophys. Res. Lett.*, 29(20), 1948, doi: 10.1029/2002GL015170.
- Ladd, C., and N.A. Bond (2002): Evaluation of the NCEP/NCAR reanalysis in the NE Pacific and the Bering Sea. *J. Geophys. Res.*, 107(C10), 3158, doi: 10.1029/2001JC001157.
- Ladd, C., and L. Thompson (2002): Decadal variability of North Pacific Central Mode Water. *J. Phys. Oceanogr.*, 32, 2870–2881.
- Lavelle, J.W., E.T. Baker, and G.A. Cannon (2003): Ocean currents at Axial Volcano, a northeastern Pacific seamount. *J. Geophys. Res.*, 108(C2), doi: 10.1029/2002JC001305.
- Lilley, M.D., D.A. Butterfield, J.E. Lupton, and E.J. Olson (2003): Magmatic events can produce rapid changes in hydrothermal vent chemistry. *Nature*, 422(6934), 878–881.
- Lim, H.-J., B.J. Turpin, L. Russell, and T.S. Bates (2003): Organic and elemental carbon measurements during ACE-Asia suggest a longer atmospheric lifetime for elemental carbon. *Environ. Sci. Tech.*, 37(14), 3055–3061, doi: 10.1021/es020988s.
- Macklin, S.A., G.L. Hunt, Jr., and J.E. Overland (2002a): Collaborative research on the pelagic ecosystem of the southeastern Bering Sea shelf. *Deep-Sea Res. II: Topical Studies in Oceanography*, 49(26), 5813–5819.
- Macklin, S.A., V.I. Radchenko, S. Saitoh, and P.J. Stabeno (2002b): Editorial: Variability in the Bering Sea Ecosystem. *Prog. Oceanogr.*, 55(1–2), 1–4.
- Mader, B.T., J.J. Schauer, J.H. Seinfeld, R.C. Flagan, J.Z. Yu, H. Yang, H.-J. Lim, B.J. Turpin, J.T. Deminter, G. Heidemann, M.S. Bae, P. Quinn, T. Bates, D.J. Eatough, B.J. Huebert, T. Bertram, and S. Howell (2003): Sampling methods used for the collection of particle-phase organic and elemental carbon during ACE-Asia. *Atmos. Environ.*, 37(11), 1435–1449.
- Maes, C., M.J. McPhaden, and D. Behringer (2002): Signatures of salinity variability in tropical Pacific Ocean dynamic height anomalies. *J. Geophys. Res.*, 107(C12), 8012, doi: 10.1029/2000JC000737.

- Markowicz, K.M., P.J. Flatau, P.K. Quinn, C.M. Carrico, M.K. Flatau, A.M. Vo-gelmann, D. Bates, M. Liu, and M. Rood (2003): Influence of relative humidity on aerosol radiative forcing: An ACE-Asia experiment perspective. *J. Geophys. Res.*, 108(D23), 8662, doi: 10.1029/2002JD003066.
- McNeil, B.I., R.J. Matear, R.M. Key, J.L. Bullister, and J.L. Sarmiento (2003): Anthropogenic CO₂ uptake by the ocean based on the global chlorofluorocarbon data set. *Science*, 299(5604), 235–239.
- McNutt, S.L., and J.E. Overland (2003): Spatial hierarchy in Arctic sea ice dynamics. *Tellus A*, 55(2), 181–191.
- McPhaden, M.J. (2003): Tropical Pacific Ocean heat content variations and ENSO persistence barriers. *Geophys. Res. Lett.*, 30(9), 1480, doi: 10.1029/2003GL016872.
- Mehta, M.P., D.A. Butterfield, and J.A. Baross (2003): Phylogenetic diversity of nitrogenase (*nifH*) genes in deep sea and hydrothermal vent environments of the Juan de Fuca Ridge. *Appl. Env. Microbiol.*, 69(2), 960–970.
- Mellinger, D., and C.W. Clark (2003): Blue whale (*Balaenoptera musculus*) sounds from the North Atlantic. *J. Acoust. Soc. Am.*, 114(2), 1108–1119.
- Millero, F.J., D. Pierrot, K. Lee, R. Wanninkhof, R.A. Feely, C.L. Sabine, R.M. Key, and T. Takahashi (2002): Dissociation constants for carbonic acid determined from field measurements. *Deep-Sea Res. I*, 49(10), 1705–1723.
- Min, D.-H., J.L. Bullister, and R.F. Weiss (2002): Anomalous chlorofluorocarbons in the Southern California Borderland Basins. *Geophys. Res. Lett.*, 29(20), 1955, doi: 10.1029/2002GL015408.
- Mochida, M., K. Kawamura, N. Umemoto, M. Kobayashi, S. Matsunaga, H.-J. Lim, B.J. Turpin, T.S. Bates, and B.R.T. Simoneit (2003): Spatial distributions of oxygenated organic compounds (dicarboxylic acids, fatty acids, and levoglucosan) in marine aerosols over the western Pacific and off the coast of East Asia: Continental outflow of organic aerosols during the ACE-Asia campaign. *J. Geophys. Res.*, 108(D23), doi: 10.1029/2002JD003249.
- Molinari, R.L., S. Bauer, D. Snowden, G.C. Johnson, B. Bourles, Y. Gouriou, H. Mercier, and F. Schott (2003): Kinematic evidence for tropical cells in the Atlantic Ocean. In *Interhemispheric Water Exchange in the Atlantic Ocean*, G. Goni, and P. Malanotte-Rizzoli (eds.), Elsevier, Oxford, 524 pp.
- Moore, D.W. (2002): Coriolis Force. In *Encyclopedia of Atmospheric Sciences*, Vol. 2, Academic Press, 570–573.
- Nasby-Lucas, N.M., R.W. Embley, M.A. Hixon, S.G. Merle, B.N. Tissot, and D.J. Wright (2002): Integration of submersible transect data and high-resolution multibeam sonar imagery for a habitat-based groundfish assessment of Heceta Bank, Oregon. *Fish. Bull.*, 100, 739–751.
- Neusüß, C., T. Gnauk, A. Plewka, H. Herrmann, and P.K. Quinn (2002): Carbonaceous aerosol over the Indian Ocean: OC/EC fractions and selected specifications from size-segregated onboard samples. *J. Geophys. Res.*, 107(D19), 8031, doi: 10.1029/2001JD000327.
- Overland, J.E., N.A. Bond, and J.M. Adams (2002): The relation of surface forcing of the Bering Sea to large-scale climate patterns. *Deep-Sea Res. II: Topical Studies in Oceanography*, 49(26), 5855–5868.
- Overland, J.E., J. Calder, F. Fetterer, D. McGuire, J. Morison, J. Richter-Menge, N.N. Soreide, and J. Walsh (2003a): SEARCH Workshop on Large-Scale Atmosphere–Cryosphere Observations. *Bull. Am. Meteorol. Soc.*, 84(8), 1077–1082.
- Quay, P.D., R.E. Sonnerup, T. Westby, J. Stutsman, and A. McNichol (2003): Changes in the ¹³C/¹²C of dissolved inorganic carbon in the ocean as a tracer of CO₂ uptake. *Global Biogeochem. Cycles*, 17(1), 1004, doi: 10.1029/2001GB001817.

- Quinn, P.K., and T.S. Bates (2003): North American, Asian, and Indian haze: Similar regional impacts on climate? *Geophys. Res. Lett.*, 30(11), 1555, doi: 10.1029/2003GL016934.
- Reed, R.K. (2003): A surface heat flux climatology over a region of the eastern Bering Sea. *Cont. Shelf Res.*, 23(14–15), 1255–1263.
- Reed, R.K., and P.J. Stabeno (2002): Surface heat fluxes and subsurface heat content at a site over the southeastern Bering Sea shelf, May–July 1996. *Deep-Sea Res. II: Topical Studies in Oceanography*, 49(26), 5911–5917.
- Sabine, C.L. (2003): Carbon dioxide in the ocean and atmosphere. In *Water: Science and Issues*, E.J. Dasch (ed.), Vol. 1, Macmillan Reference USA, New York, 107–111.
- Sabine, C.L., and R.A. Feely (2002): Carbon dioxide. In *Encyclopedia of Atmospheric Sciences*, Vol. 1, Academic Press, 335–342.
- Sabine, C.L., R.A. Feely, R.M. Key, J.L. Bullister, F.J. Millero, K. Lee, T.-H. Peng, B. Tilbrook, T. Ono, and C.S. Wong (2002a): Distribution of anthropogenic CO₂ in the Pacific Ocean. *Global Biogeochem. Cycles*, 16(4), 1083, doi: 10.1029/2001GB001639.
- Sabine, C.L., and M. Hood (2003): Ocean carbon scientists organize to achieve better coordination, cooperation. *Eos, Trans. AGU*, 84(23), 218–220.
- Sabine, C.L., R.M. Key, R.A. Feely, and D. Greeley (2002b): Inorganic carbon in the Indian Ocean: Distribution and dissolution processes. *Global Biogeochem. Cycles*, 16(4), 1067, doi: 10.1029/2002GB001869.
- Schauer, J.J., B.T. Mader, J.T. DeMinter, G. Heidemann, M.S. Bae, J.H. Seinfeld, R.C. Flagan, R.A. Cary, D. Smith, B.J. Huebert, T. Bertram, S. Howell, J.T. Kline, P. Quinn, T. Bates, B. Turpin, H.J. Lim, J.Z. Yu, H. Yang, and M.D. Keywood (2003): ACE-Asia intercomparison of a thermal-optical method for the determination of particle-phase organic and elemental carbon. *Environ. Sci. Tech.*, 37(5), 993–1001.
- Serra, Y.L., and M.J. McPhaden (2003): Multiple time- and space-scale comparisons of ATLAS buoy rain gauge measurements to TRMM satellite precipitation measurements. *J. Appl. Meteorol.*, 42(8), 1045–1059.
- Sinclair, E.H., and P.J. Stabeno (2002): Mesopelagic nekton and associated physics of the southeastern Bering Sea. *Deep-Sea Res. II: Topical Studies in Oceanography*, 49(26), 6127–6145.
- Sloyan, B.M., G.C. Johnson, and W.S. Kessler (2003): The Pacific Cold Tongue: A pathway for interhemispheric exchange. *J. Phys. Oceanogr.*, 33(5), 1027–1043.
- Smith, D.K., J. Escartin, M. Cannat, M. Tolstoy, C.G. Fox, D.R. Bohnenstiehl, and S. Bazin (2003): Spatial and temporal distribution of seismicity along the northern Mid-Atlantic Ridge (15°–35°N). *J. Geophys. Res.*, 108(B3), 2167, doi: 10.1029/2002JB001964.
- Stabeno, P.J., and G.L. Hunt, Jr. (2002): Overview of the Inner Front and Southeast Bering Sea Carrying Capacity Programs. *Deep-Sea Res. II: Topical Studies in Oceanography*, 49(26), 6157–6168.
- Stabeno, P.J., N.B. Kachel, M. Sullivan, and T.E. Whitledge (2002a): Variability of physical and chemical characteristics along the 70-m isobath of the southeast Bering Sea. *Deep-Sea Res. II: Topical Studies in Oceanography*, 49(26), 5931–5943.
- Stabeno, P.J., R.K. Reed, and J.M. Napp (2002b): Transport through Unimak Pass, Alaska. *Deep-Sea Res. II: Topical Studies in Oceanography*, 49(26), 5919–5930.
- Thum, N., S.K. Esbensen, D.B. Chelton, and M.J. McPhaden (2002): Air-sea heat exchange along the northern sea surface temperature front in the eastern tropical Pacific. *J. Climate*, 15(23), 3361–3378.
- Van Parijs, S.M., P.J. Corkeron, J. Harvey, S.A. Hayes, D.K. Mellinger, P.A. Rouget, P.M. Thompson, M. Wahlberg, and K.M. Kovacs (2003): Patterns in

- the vocalizations of male harbor seals. *J. Acoust. Soc. Am.*, *113*(6), 3403–3410.
- Vecchi, G.A., and D.E. Harrison (2003): On the termination of the 2002–03 El Niño event. *Geophys. Res. Lett.*, *30*(18), doi: 10.1029/2003GL017564.
- Waite, J.M., K. Wynne, and D.K. Mellinger (2003): Documented sighting of a North Pacific right whale in the Gulf of Alaska and post-sighting acoustic monitoring. *Northwestern Nat.*, *84*, 38–43.
- Wang, J., S.A. Christopher, F. Brechtel, J. Kim, B. Schmid, J. Redemann, P.B. Russell, P.K. Quinn, and B.N. Holben (2003): Geostationary satellite retrievals of aerosol optical thickness during ACE-Asia. *J. Geophys. Res.*, *108*(D23), 8657, doi: 10.1029/2003JD003580.
- Wilderbuer, T.K., A.B. Hollowed, W.J. Ingraham, Jr., P.D. Spencer, M.E. Conners, N.A. Bond, and G.E. Walters (2002): Flatfish recruitment response to decadal climatic variability and ocean conditions in the eastern Bering Sea. *Prog. Oceanogr.*, *55*(1–2), 235–247.
- Wong, A.P.S., and G.C. Johnson (2003): South Pacific Eastern Subtropical Mode Water. *J. Phys. Oceanogr.*, *33*(7), 1493–1509.
- Wong, A.P.S., G.C. Johnson, and W.B. Owens (2003): Delayed-mode calibration of autonomous CTD profiling float salinity data by theta-S climatology. *J. Atmos. Oceanic Tech.*, *20*, 308–318.
- Yu, C.-K., and N.A. Bond (2002): Airborne doppler observations of a cold front in the vicinity of Vancouver Island. *Mon. Weather Rev.*, *130*, 2692–2708.
- Zeng, J., Y. Nojiri, P.P. Murphy, C.S. Wong, and Y. Fujinuma (2002): A comparison of $\Delta p\text{CO}_2$ distributions in the northern North Pacific using results from a commercial vessel in 1995–1999. *Deep-Sea Res. II*, *49*, 5303–5315.
- Zhang, D., M.J. McPhaden, and W.E. Johns (2003): Observational evidence for flow between the subtropical and tropical Atlantic: The Atlantic subtropical cells. *J. Phys. Oceanogr.*, *33*(8), 1783–1797.